



```

LL      IIIIII  BBBB BBBB  AAAAAA  SSSSSSSS  TTTTTTTTTT  IIIIII  NN  NN  PPPPPPPP
LL      IIIIII  BBBB BBBB  AAAAAA  SSSSSSSS  TTTTTTTTTT  IIIIII  NN  NN  PPPPPPPP
LL      II      BB      AA      AA  SS      SS      TT      II      NN  NN  PP      PP
LL      II      BB      AA      AA  SS      SS      TT      II      NN  NN  PP      PP
LL      II      BB      AA      AA  SS      SS      TT      II      NNNN  NN  PP      PP
LL      II      BB      AA      AA  SS      SS      TT      II      NNNN  NN  PP      PP
LL      II      BBBB BBBB  AA      AA  SSSSSS  SS      TT      II      NN  NN  PPPPPPPP
LL      II      BBBB BBBB  AA      AA  SSSSSS  SS      TT      II      NN  NN  PPPPPPPP
LL      II      BB      AA      AA  SSSSSS  SS      TT      II      NN  NN  PP
LL      II      BB      AA      AA  SSSSSS  SS      TT      II      NN  NN  PP
LL      II      BB      AA      AA  SSSSSS  SS      TT      II      NN  NN  PP
LL      II      BB      AA      AA  SSSSSS  SS      TT      II      NN  NN  PP
LLLLLLLL  IIIIII  BBBB BBBB  AA      AA  SSSSSSSS  TT      IIIIII  NN  NN  PP
LLLLLLLL  IIIIII  BBBB BBBB  AA      AA  SSSSSSSS  TT      IIIIII  NN  NN  PP

LL      IIIIII  SSSSSSSS
LL      IIIIII  SSSSSSSS
LL      II      SS
LL      II      SS
LL      II      SS
LL      II      SS
LL      II      SSSSSS
LL      II      SSSSSS
LL      II      SS
LL      II      SS
LL      II      SS
LL      II      SS
LLLLLLLL  IIIIII  SSSSSSSS
LLLLLLLL  IIIIII  SSSSSSSS

```

(2) 52  
(3) 85

DECLARATIONS  
LIB\$AST\_IN\_PROG - is AST in progress?

0000 1 .TITLE LIB\$AST\_IN\_PROG - Inquire if AST in progress  
0000 2 .IDENT 71-004/- ; File: LIBASTINP.MAR Edit DG1004  
0000 3  
0000 4  
0000 5  
0000 6

0000 7 \*\*\*\*\*  
0000 8 \* COPYRIGHT (c) 1978, 1980, 1982, 1984 BY \*  
0000 9 \* DIGITAL EQUIPMENT CORPORATION, MAYNARD, MASSACHUSETTS. \*  
0000 10 \* ALL RIGHTS RESERVED. \*

0000 11 \* THIS SOFTWARE IS FURNISHED UNDER A LICENSE AND MAY BE USED AND COPIED \*  
0000 12 \* ONLY IN ACCORDANCE WITH THE TERMS OF SUCH LICENSE AND WITH THE \*  
0000 13 \* INCLUSION OF THE ABOVE COPYRIGHT NOTICE. THIS SOFTWARE OR ANY OTHER \*  
0000 14 \* COPIES THEREOF MAY NOT BE PROVIDED OR OTHERWISE MADE AVAILABLE TO ANY \*  
0000 15 \* OTHER PERSON. NO TITLE TO AND OWNERSHIP OF THE SOFTWARE IS HEREBY \*  
0000 16 \* TRANSFERRED. \*

0000 17 \* THE INFORMATION IN THIS SOFTWARE IS SUBJECT TO CHANGE WITHOUT NOTICE \*  
0000 18 \* AND SHOULD NOT BE CONSTRUED AS A COMMITMENT BY DIGITAL EQUIPMENT \*  
0000 19 \* CORPORATION. \*

0000 20 \* DIGITAL ASSUMES NO RESPONSIBILITY FOR THE USE OR RELIABILITY OF ITS \*  
0000 21 \* SOFTWARE ON EQUIPMENT WHICH IS NOT SUPPLIED BY DIGITAL. \*  
0000 22 \*  
0000 23 \*  
0000 24 \*  
0000 25 \*  
0000 26 \*\*\*\*\*

0000 27  
0000 28  
0000 29 ++  
0000 30 FACILITY: General Utility Library

0000 31  
0000 32 ABSTRACT:

0000 33  
0000 34 Return SUCCESS (1) if an AST is active in the current mode.  
0000 35

0000 36 ENVIRONMENT: All Modes, AST Reentrant  
0000 37

0000 38 --  
0000 39 AUTHOR: Jonathan M. Taylor, CREATION DATE: 23-Jan-78  
0000 40

0000 41 MODIFIED BY:

0000 42  
0000 43 JMT, 23-Jan-78 : VERSION 0

0000 44 01 - Original

0000 45 1-001 - Update version number and copyright notice. The edit number  
0000 46 on version 0 was 4. JBS 16-NOV-78

0000 47 1-002 - Add "" to the PSECT directive. JBS 21-DEC-78

0000 48 1-003 - Allocate an event flag number for the \$GETJPI using LIB\$GET\_EF.  
0000 49 SBL 24-Nov-1981

0000 50 1-004 - Use \$GETJPIW to ensure synchronous operation. DG 26-Oct-1983

```
0000 52          .SBTTL  DECLARATIONS
0000 53
0000 54 ::
0000 55 :: EXTERNAL SYMBOLS:
0000 56 ::
0000 57          .DSABL  GBL
0000 58          .EXTRN  LIB$STOP
0000 59          .EXTRN  LIB$GET  EF
0000 60          .EXTRN  LIB$FREE EF
0000 61          .EXTRN  LIB$_FATERRLIB
0000 62
0000 63 ::
0000 64 :: INCLUDE FILES:
0000 65 ::
0000 66
0000 67 ::
0000 68 :: MACROS:
0000 69 ::
0000 70          $JPIDEF          ; define system service constants
0000 71
0000 72 ::
0000 73 :: EQUATED SYMBOLS:
0000 74 :: none
0000 75
0000 76 ::
0000 77 :: OWN STORAGE:
0000 78 :: none
0000 79
0000 80 ::
0000 81 :: PSECT DECLARATIONS:
0000 82 ::
00000000 83          .PSECT _LIB$CODE PIC, SHR, LONG, EXE, NOWRT
```

```
0000 85 .SBTTL LIB$AST_IN_PROG - is AST in progress?
0000 86
0000 87 :++
0000 88 : FUNCTIONAL DESCRIPTION:
0000 89
0000 90 : Call system service GETJPI to get access modes with active
0000 91 : ASTs. Pick off the bit corresponding to the current-mode
0000 92 : (taken from the PSL) and return it.
0000 93
0000 94 : CALLING SEQUENCE:
0000 95
0000 96 : at_ast_level.wl.v = LIB$AST_IN_PROG ([efn.rl.r])
0000 97
0000 98 : INPUT PARAMETERS:
0000 99
00000004 0000 100 : efn = 4 ; Longword event flag number to use for $GETJPI,
0000 101 : ; passed by reference. Optional. If omitted,
0000 102 : ; LIB$GET_EF is called to allocate a number.
0000 103
0000 104 : IMPLICIT INPUTS:
0000 105
0000 106 : NONE
0000 107
0000 108 : OUTPUT PARAMETERS:
0000 109
0000 110 : NONE
0000 111
0000 112 : IMPLICIT OUTPUTS:
0000 113
0000 114 : NONE
0000 115
0000 116 : FUNCTION VALUE:
0000 117
0000 118 : Returns SUCCESS (1) if we're currently at AST level, otherwise 0.
0000 119
0000 120
0000 121 : SIDE EFFECTS:
0000 122
0000 123 : May signal LIB$_FATERRLIB
0000 124
0000 125 :--
0000 126 .ENTRY LIB$AST_IN_PROG, *M<>
0000 127 CLR L -(SP) ; set up a one-item item-list
0000 128 CLR Q -(SP) ; ITMLST: 0300 1 4
0000 129 PUSHAL 8(SP)
0000 130 PUSH L #<JPI$_ASTACT@16>+4
0000 131
0000 132
0000 133
0000 134 MOVL SP, R1
0000 135 TSTB (AP) ; Zero arguments?
0000 136 BEQL GET_EF ; Yes, call LIB$GET_EF
0000 137 TSTL efn(AP) ; Omitted by reference?
0000 138 BEQL GET_EF ; Yes, call LIB$GET_EF
0000 139 $GETJPIW S EFN=efn(AP), ITMLST=(R1)
0000 140 BLBC R0, ERROR ; Signal if error
0000 141 BRB OK ; Skip to common processing
```

03000004 08 AE DF 0006 129  
03000004 8F DD 0009 130  
000F 131  
000F 132  
000F 133  
51 5E D0 000F 134  
6C 95 0012 135  
1E 13 0014 136  
04 AC D5 0016 137  
19 13 0019 138  
4D 50 E9 001B 139  
35 11 002F 140  
0032 141

```
0034 142
0034 143 :+
0034 144 : Come here if we need to allocate an event flag number
0034 145 :-
0034 146 GET_EF:
      7E D4 0034 147 CLRL -(SP) ; Make a place for the event flag number
      6E 9F 0036 148 PUSHAB (SP) ; Address of efn
00000000'GF 01 FB 0038 149 CALLS #1, G*LIB$GET_EF ; Get an efn
      3D 50 E9 003F 150 BLBC R0, ERROR ; Exit if unsuccessful
      50 5E D0 0042 151 MOVL SP, R0 ; Move address of EFN
      24 50 E9 0045 152 $GETJPIW S EFN=(R0), ITMLST=(R1)
      6E 9F 0058 153 BLBC R0, ERROR ; branch if not successful
00000000'GF 01 FB 005B 154 PUSHAB (SP) ; Address of efn
      18 50 E9 005D 155 CALLS #1, G*LIB$FREE_EF ; Free the efn
      00 11 0064 156 BLBC R0, ERROR ; Signal if error
      00 11 0067 157 BRB OK ; Skip to finish up
      0069 158
      0069 159 :+
      0069 160 : Come here for final processing
      0069 161 OK:
      50 FC AD D0 0069 162 MOVL -4(FP), R0 ; R0 = bitvector by mode
      51 51 51 DC 006D 163 MOVPSL R1
      51 51 FC 08 9C 006F 164 ROTL #8, R1, R1
      50 51 51 8A 0073 165 BICB #-4, R1 ; R1<0:7> = current mode
      50 50 51 8E 0077 166 MNEGB R1, R1 ; R1 = 0,-1,-2,-3
      04 007A 167 ROTL R1, R0, R0 ; get proper flag into lsb
      007E 168 RET
      007F 169
      007F 170 ERROR:
      50 DD 007F 171 PUSHL R0 ; Push original error code
      7E D4 0081 172 CLRL -(SP) ; Zero FAO parameters
      00000000'8F DD 0083 173 PUSHL #LIB$FATERRLIB
00000000'GF 03 FB 0089 174 CALLS #3, G*LIB$STOP ; Can't return
      04 0090 175 RET ; But have signalled PC in this module
      0091 176
      0091 177 .END
```

LIB\$AST IN PROG  
Symbol Table

- Inquire if AST in progress

H 11

15-SEP-1984 23:48:00  
6-SEP-1984 11:03:29

VAX/VMS Macro V04-00  
[LIBRTL.SRC]LIBASTINP.MAR;1

Page 5  
(3)

```
$S11      = 00000001
EFN       = 00000004
ERROR     0000007F R    02
GET EF    00000034 R    02
JPI$ ASTACT = 00000300
LIB$AST IN PROG 00000000 RG   02
LIB$FREE EF ***** X   00
LIB$GET EF ***** X   00
LIB$STOP ***** X   00
LIB$_FATERRLIB ***** X   00
OK        00000069 R    02
SYSS$GETJPIW ***** G   02
```

-----  
! Psect synopsis !  
-----

PSECT name	Allocation	PSECT No.	Attributes														
. ABS .	00000000 ( 0.)	00 ( 0.)	NOPIC	USR	CON	ABS	LCL	NOSHR	NOEXE	NORD	NOWRT	NOVEC	BYTE				
\$ABSS	00000000 ( 0.)	01 ( 1.)	NOPIC	USR	CON	ABS	LCL	NOSHR	EXE	RD	WRT	NOVEC	BYTE				
_LIB\$CODE	00000091 ( 145.)	02 ( 2.)	PIC	USR	CON	REL	LCL	SHR	EXE	RD	NOWRT	NOVEC	LONG				

-----  
! Performance indicators !  
-----

Phase	Page faults	CPU Time	Elapsed Time
Initialization	29	00:00:00.05	00:00:00.81
Command processing	113	00:00:00.28	00:00:03.53
Pass 1	133	00:00:01.19	00:00:07.03
Symbol table sort	0	00:00:00.08	00:00:00.35
Pass 2	47	00:00:00.36	00:00:01.97
Symbol table output	3	00:00:00.01	00:00:00.01
Psect synopsis output	2	00:00:00.01	00:00:00.01
Cross-reference output	0	00:00:00.00	00:00:00.00
Assembler run totals	329	00:00:01.99	00:00:13.72

The working set limit was 900 pages.  
8430 bytes (17 pages) of virtual memory were used to buffer the intermediate code.  
There were 10 pages of symbol table space allocated to hold 120 non-local and 0 local symbols.  
177 source lines were read in Pass 1, producing 13 object records in Pass 2.  
11 pages of virtual memory were used to define 10 macros.

-----  
! Macro library statistics !  
-----

Macro library name	Macros defined
_\$255\$DUA28:[SYSLIB]STARLET.MLB;2	7

200 GETS were required to define 7 macros.

There were no errors, warnings or information messages.

LIB\$AST IN PROG  
VAX-11 Macro Run Statistics

- Inquire if AST in progress

I 11

15-SEP-1984 23:48:00 VAX/VMS Macro V04-00 Page 6  
6-SEP-1984 11:03:29 [LIBRTL.SRC]LIBASTINP.MAR;1 (3)

MACRO/ENABLE=SUPPRESSION/DISABLE=(GLOBAL,TRACEBACK)/LIS=LIS\$:LIBASTINP/OBJ=OBJ\$:LIBASTINP MSRC\$:LIBASTINP/UPDATE=(ENH\$:LIBASTINP)

0203

AH-BT13A-SE  
 VAX/VMS V4.0

DIGITAL EQUIPMENT CORPORATION  
CONFIDENTIAL AND PROPRIETARY